ELSEVIER

Carbohydrate Research 298 (1997) XV–XVI

CARBOHYDRATE RESEARCH

Author index

Ahn, Y.M. 279
Almeida, L.P.A. 311
Arbatsky, N.P. 229
Asensio, J.L. 15

Barili, P.L. 75
Bay, S. 153
Beldman, G. 299
Berthier-Vergnes, O. 153
Bisio, A. 335
Blaskó, A. 163
Bliard, C. 251
Blond, G. 139
Brisson, J.-R. 191
Buleon, A. 319
Bunel, S. 163
Bunton, C.A. 163

Cantacuzene, D. 153
Cassady, J.M. 93
Catelani, G. 75
Catté, M. 139
Chandrasekaran, R. 105
Chrzczanowicz, I. 341
Colonna, P. 319
Cosentino, C. 335
Cottaz, S. 127
Cramer, C.J. 1

D'Andrea, F. 75
De Rensis, F. 75
Driguez, H. 127
Dussap, C.G. 139

El-Eter, K.A.A. 93
El-Massry, A.M. 123
El-Sadek, M.M. 123
Espinosa, J.F. 15

Faidallah, H.M. 123
Falcini, P. 75
Fanton, E. 85
Farkas, E. 237
Fayet, C. 85
French, A.D. 1
Fujita, S. 65
Furuhata, K. 181

Gasa, S. 201
Gelas, J. 85
Gray, G.R. 131, 243, 279
Gros, J.B. 139
Gyémánt, G. 237

Hassan, S.Y. 123
Hisamatsu, M. 117
Hoos, R. 291

Ibarra, C. 163
Ibrahim, E.I. 93

Jachymek, W. 219
Jennings, H.J. 191
Jiménez-Barbero, J. 15
Jones, C. 311

Kai, T. 181
Kandra, L. 237
Kenne, L. 219
Kim, J.M. 173
Kluge, M. 147
Knirel, Y.A. 229
Kobayashi, Y. 261
Kogan, G. 191

Laignel, B. 251
Larsen, K.L. 59
Lipták, A. 237
Lugowski, C. 219

Martín-Pastor, M. 15
Massiot, G. 251
Mathiesen, F. 59
Mendonça-Previato, L. 311
Mishima, T. 117
Moates, G.K. 327
Moraga, E. 163
Mori, T. 65
Myszka, H. 341

Niedziela, T. 219
Noel, T.R. 327
Nuzillard, J.M. 251

Ohnishi, M. 51
Okada, G. 51
Okahata, Y. 65

Parker, R. 327
Petersson, C. 219
Planchot, V. 319
Previato, J.O. 311

Radha, A. 105
Ring, S.G. 327
Rokushika, S. 51
Rollin, P. 127
Roy, R. 173

Rozanas, C.R. 243
Rupitz, K. 291

Sallam, M.A.E. 93
Santini, F. 335
Schneider, B. 147
Shashkov, A.S. 229
Sicker, D. 147
Sidorczyk, Z. 229
Simatos, D. 139
Smiatacz, Z. 341
Stephan, M.P. 311
Sun, X.-L. 181

Takayanagi, H. 181
Teranishi, K. 117
Truhlar, D.G. 1
Tsuchihashi, K. 201
Tsuchiya, T. 261

Uhrín, D. 191

Vasella, A. 291
Vincken, J.-P. 299
Voragen, A.G.J. 299

Wang, N. 131
Widmalm, G. 229
Wilkinson, S.G. 213
Winn, A.M. 213
Withers, S.G. 291

Yachida, Y. 201
Yamada, T. 117
Yates, E.A. 335
Yazaki, T. 51

Zimmermann, W. 59
Zych, K. 229

ELSEVIER

Carbohydrate Research 298 (1997) XVII–XX

CARBOHYDRATE RESEARCH

Subject index

Acetal glucoside
Diastereoselective synthesis of the benzoxazinone acetal glucoside *ent*-GDIMBOA: the first enantiomer of a natural acetal glucoside 147
Acetamido sugars
Diastereoselectivity in the transglycosidation of methyl 2-deoxy-3,4,6-tri-*O*-methyl-2-(*N*-methylacetamido)-D-glucopyranoside, -galactopyranoside, and -mannopyranoside with racemic 2-butanol under reductive-cleavage conditions 279
Action pattern
Action pattern of porcine pancreatic alpha-amylase on three different series of β-maltooligosaccharide glycosides 237
Acyclic-sugar nucleosides
Synthesis and anomeric configuration of 2-(erythrofuranosyl)benzimidazole C-nucleoside analogues 93
4-Acylamino-4-deoxy-
Syntheses of sialic acid analogues with acylamino groups at C-4 (*N*-acyl regioisomers of sialic acids) 181
Adhesion
The correlation between adhesion of schizophyllan to yeast glucan and its effect on regeneration of yeast protoplast 117
2-(L-Alanylamido)-2-deoxy-D-glucose
Structure of the O-specific polysaccharide of *Proteus penneri* strain 25 containing *N*-(L-alanyl) and multiple *O*-acetyl groups in a tetrasaccharide repeating unit 229
Amide proton shift
Synthesis of 2″-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbekacin, and study on structure–chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261
Aminohexanol as a spacer arm
Synthesis of α- and β-biotinylated T-antigen 153
Aminohexanol Schiff base
Synthesis of α- and β-biotinylated T-antigen 153
Amino sugars
Determination of acid dissociation constants of anomers of amino sugars by ^{1}H NMR spectroscopy 163
Amylopectin acetate
Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251
Amylose
The effect of chain length and solvent interactions on the dissolution of the B-type crystalline polymorph of amylose in water 327
Amylose triacetate
Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251
exo-Anomeric effect
Exo-anomeric effects on energies and geometries of different conformations of glucose and related systems in the gas phase and aqueous solution 1
O-Antigen
Structural studies of the O-specific chain of *Hafnia alvei* strain PCM 1190 lipopolysaccharide 219
Structure of the O-specific polysaccharide of *Proteus penneri* strain 25 containing *N*-(L-alanyl) and multiple *O*-acetyl groups in a tetrasaccharide repeating unit 229
Aqueous-organic two-phase reactions
Transglycosylation in a two-phase aqueous–organic system with catalysis by a lipid-coated β-D-galactosidase 65
Arabinan
X-Ray and conformational analysis of arabinan 105
Azide derivatives
Chemical modification of some methyl (3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino-α-D-*arabino*-hexopyranosid)uronates 341

Bacterial polysaccharide, structure
Structure of the O-specific polysaccharide of *Proteus penneri* strain 25 containing *N*-(L-alanyl) and multiple *O*-acetyl groups in a tetrasaccharide repeating unit 229
Benzimidazole C-nucleosides
Synthesis and anomeric configuration of 2-(erythrofuranosyl)benzimidazole C-nucleoside analogues 93
Benzimidazole, 2-(erythrofuranosyl)-
Synthesis and anomeric configuration of 2-(erythrofuranosyl)benzimidazole C-nucleoside analogues 93
Benzoic acid
Separation and analysis of cyclodextrins by capillary zone electrophoresis 59
Benzoxazinone
Diastereoselective synthesis of the benzoxazinone acetal glucoside *ent*-GDIMBOA: the first enantiomer of a natural acetal glucoside 147
Benzoylated
Reductive cleavage of the positional isomers of benzoylated and methylated methyl α-D-mannopyranoside 243
Binding affinity
Subsite structure of the β-glucosidase from *Aspergillus niger*, evaluated by steady-state kinetics with cello-oligosaccharides as substrates 51
Biological activity
The correlation between adhesion of schizophyllan to yeast glucan and its effect on regeneration of yeast protoplast 117
α- and β-Biotinylated T-antigen
Synthesis of α- and β-biotinylated T-antigen 153
Borane–methyl sulfide
Reductive cleavage of permethylated polysaccharides with borane–methyl sulfide complex and butyltin trichloride 131
t-Butoxycarbonylamino
Synthesis of 2″-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbekacin, and study on structure–chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261

Capillary zone electrophoresis
Separation and analysis of cyclodextrins by capillary zone electrophoresis 59
Cello-oligosaccharides
Subsite structure of the β-glucosidase from *Aspergillus niger*, evaluated by steady-state kinetics with cello-oligosaccharides as substrates 51

Chemoenzymatic synthesis
Synthesis of α- and β-biotinylated T-antigen 153
Computer simulation
Modeling of the water–sucrose state diagram below 0 °C 139
Conformation
X-Ray and conformational analysis of arabinan 105
Chemical modification of some methyl (3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino-α-D-*arabino*-hexopyranosid)uronates 341
Conformational analysis
Exo-anomeric effects on energies and geometries of different conformations of glucose and related systems in the gas phase and aqueous solution 1
COSY
Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251
Coupling constants
A comparison of the geometry and of the energy results obtained by application of different molecular mechanics force fields to methyl α-lactoside and the C-analogue of lactose 15
Crystalline substrates, *A*-amylase
Enzymatic hydrolysis of α-glucan crystallites 319
Crystal melting
The effect of chain length and solvent interactions on the dissolution of the B-type crystalline polymorph of amylose in water 327
Cyclodextrins
Separation and analysis of cyclodextrins by capillary zone electrophoresis 59

Deoximation
Chemical modification of some methyl (3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino-α-D-*arabino*-hexopyranosid)uronates 341
2-Deoxy-2-fluoro-glycosides
Synthesis of 2-deoxy-2-fluoro-glucotropaeolin, a thioglucosidase inhibitor 127
Dibekacin derivative
Synthesis of 2″-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbekacin, and study on structure–chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261
5,6-Dihydro-4*H*-1,3-oxazine
Syntheses of sialic acid analogues with acylamino groups at C-4 (*N*-acyl regioisomers of sialic acids) 181
Dissociation constants
Determination of acid dissociation constants of anomers of amino sugars by ^{1}H NMR spectroscopy 163

Endoglucanase
Substrate specificity of endoglucanases: what determines xyloglucanase activity? 299
Enterobacteria
Structure of the O-specific polysaccharide of *Proteus penneri* strain 25 containing *N*-(L-alanyl) and multiple *O*-acetyl groups in a tetrasaccharide repeating unit 229
Equine erythrocytes
Novel di-*O*-acetylated GM3s from equine erythrocytes, one containing 4,9-di-*O*-acetyl-*N*-glycolylneuraminic acid and another containing 4-*O*-acetyl-*N*-glycolylneuraminic acid and 6-*O*-acetyl-D-galactose 201

Furans
Synthesis and reactions of 5-(D-*arabino*-tetrahydroxybutyl)-3-(2,3-dihydro-1,3,4-oxadiazole-2-thion-5-yl)-2-methylfuran and 5-(D-*arabino*-tetrahydroxybutyl)-3-(2-substituted amino-1,3,4-oxadiazol-5-yl)-2-methylfuran 123

β-D-Galactosidase
Transglycosylation in a two-phase aqueous–organic system with catalysis by a lipid-coated β-D-galactosidase 65

Glass transition
Modeling of the water–sucrose state diagram below 0 °C 139
D-Gluconhydroximolactam
D-Glyconhydroximolactams strongly inhibit α-glycosidases 291
β-Glucosidase
Subsite structure of the β-glucosidase from *Aspergillus niger*, evaluated by steady-state kinetics with cello-oligosaccharides as substrates 51
Glucosidase inhibitors
D-Glyconhydroximolactams strongly inhibit α-glycosidases 291
Glucosinolates
Synthesis of 2-deoxy-2-fluoro-glucotropaeolin, a thioglucosidase inhibitor 127
Glucotropaeolin
Synthesis of 2-deoxy-2-fluoro-glucotropaeolin, a thioglucosidase inhibitor 127
Glycoside
Reductive cleavage of permethylated polysaccharides with borane–methyl sulfide complex and butyltin trichloride 131
O-Glycosides
Chemical modification of some methyl (3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino-α-D-*arabino*-hexopyranosid)uronates 341
Glycosylation, stereoselective
Diastereoselective synthesis of the benzoxazinone acetal glucoside *ent*-GDIMBOA: the first enantiomer of a natural acetal glucoside 147
Glycuronic acid
Chemical modification of some methyl (3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino-α-D-*arabino*-hexopyranosid)uronates 341
GM3, di-*O*-acetylated
Novel di-*O*-acetylated GM3s from equine erythrocytes, one containing 4,9-di-*O*-acetyl-*N*-glycolylneuraminic acid and another containing 4-*O*-acetyl-*N*-glycolylneuraminic acid and 6-*O*-acetyl-D-galactose 201

Hafnia alvei
Structural studies of the O-specific chain of *Hafnia alvei* strain PCM 1190 lipopolysaccharide 219
Heats of mixing
The effect of chain length and solvent interactions on the dissolution of the B-type crystalline polymorph of amylose in water 327
Heterogeneous catalysis
Enzymatic hydrolysis of α-glucan crystallites 319
^{1}H NMR
Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251
HOHAHA
Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251
HPLC
Action pattern of porcine pancreatic alpha-amylase on three different series of β-maltooligosaccharide glycosides 237
Hydrogen bond
Synthesis of 2″-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbekacin, and study on structure–chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261
Hydroxamic acid GDIMBOA, enantiomer of, synthesis of
Diastereoselective synthesis of the benzoxazinone acetal glucoside *ent*-GDIMBOA: the first enantiomer of a natural acetal glucoside 147
Hyperconjugation
Exo-anomeric effects on energies and geometries of different conformations of glucose and related systems in the gas phase and aqueous solution 1

Inductive effect
Synthesis of 2″-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbekacin, and study on structure–chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261

Iso-sialic acids
Syntheses of sialic acid analogues with acylamino groups at C-4 (*N*-acyl regioisomers of sialic acids) 181

Jack bean α-mannosidase
D-Glyconhydroximolactams strongly inhibit α-glycosidases 291

Kdn
Syntheses of sialic acid analogues with acylamino groups at C-4 (*N*-acyl regioisomers of sialic acids) 181

Lactose
Improved preparation of 2,3:5,6:3′,4′-tri-*O*-isopropylidenelactose dimethyl acetal and its 6′-*O*-(1-methoxy-1-methylethyl) derivative 75
Lipid-coated enzymes
Transglycosylation in a two-phase aqueous–organic system with catalysis by a lipid-coated β-D-galactosidase 65
Lipopolysaccharide
Structural basis of the *Neisseria meningitidis* immunotypes including the L4 and L7 immunotypes 191
Structure of the O2 antigen of *Stenotrophomonas* (*Xanthomonas* or *Pseudomonas*) *maltophilia* 213
Structural studies of the O-specific chain of *Hafnia alvei* strain PCM 1190 lipopolysaccharide 219
Structure of the O-specific polysaccharide of *Proteus penneri* strain 25 containing *N*-(L-alanyl) and multiple *O*-acetyl groups in a tetrasaccharide repeating unit 229
Long-chain acetals
Long-chain acetals derived from sucrose as a new class of surfactants 85

Maltooligosaccharides
Action pattern of porcine pancreatic alpha-amylase on three different series of β-maltooligosaccharide glycosides 237
The effect of chain length and solvent interactions on the dissolution of the B-type crystalline polymorph of amylose in water 327
Methoxyisopropylation
Improved preparation of 2,3:5,6:3′,4′-tri-*O*-isopropylidenelactose dimethyl acetal and its 6′-*O*-(1-methoxy-1-methylethyl) derivative 75
Methyl α-D-mannopyranoside
Reductive cleavage of the positional isomers of benzoylated and methylated methyl α-D-mannopyranoside 243
Methyl α-lactoside
A comparison of the geometry and of the energy results obtained by application of different molecular mechanics force fields to methyl α-lactoside and the C-analogue of lactose 15
Methylated derivatives
Reductive cleavage of the positional isomers of benzoylated and methylated methyl α-D-mannopyranoside 243
Molecular mechanics
A comparison of the geometry and of the energy results obtained by application of different molecular mechanics force fields to methyl α-lactoside and the C-analogue of lactose 15
MS
Structural basis of the *Neisseria meningitidis* immunotypes including the L4 and L7 immunotypes 191
MS/MS
Structural studies of the O-specific chain of *Hafnia alvei* strain PCM 1190 lipopolysaccharide 219
Myrosinase
Synthesis of 2-deoxy-2-fluoro-glucotropaeolin, a thioglucosidase inhibitor 127

Neisseria meningitidis
Structural basis of the *Neisseria meningitidis* immunotypes including the L4 and L7 immunotypes 191

NMR
A comparison of the geometry and of the energy results obtained by application of different molecular mechanics force fields to methyl α-lactoside and the C-analogue of lactose 15
Determination of acid dissociation constants of anomers of amino sugars by ^{1}H NMR spectroscopy 163
Structural basis of the *Neisseria meningitidis* immunotypes including the L4 and L7 immunotypes 191
NMR spectroscopy
Novel di-*O*-acetylated GM3s from equine erythrocytes, one containing 4,9-di-*O*-acetyl-*N*-glycolylneuraminic acid and another containing 4-*O*-acetyl-*N*-glycolylneuraminic acid and 6-*O*-acetyl-D-galactose 201
NOESY
A comparison of the geometry and of the energy results obtained by application of different molecular mechanics force fields to methyl α-lactoside and the C-analogue of lactose 15

O Antigen
Structure of the O2 antigen of *Stenotrophomonas* (*Xanthomonas* or *Pseudomonas*) *maltophilia* 213
Oligoglycine
New prototypical O-linked-glycopeptidomimetics corresponding to the linkage region of proteoglycans 173
Oxadiazoles
Synthesis and reactions of 5-(D-*arabino*-tetrahydroxybutyl)-3-(2,3-dihydro-1,3,4-oxadiazole-2-thion-5-yl)-2-methylfuran and 5-(D-*arabino*-tetrahydroxybutyl)-3-(2-substituted amino-1,3,4-oxadiazol-5-yl)-2-methylfuran 123
Oxo compound
Synthesis of 2″-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbekacin, and study on structure–chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261

Peptidomimetic
New prototypical O-linked-glycopeptidomimetics corresponding to the linkage region of proteoglycans 173
Peptoid
New prototypical O-linked-glycopeptidomimetics corresponding to the linkage region of proteoglycans 173
Peracetylated malto-oligosaccharides
Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251
Polyhydroxyalkyl heterocycles
Synthesis and reactions of 5-(D-*arabino*-tetrahydroxybutyl)-3-(2,3-dihydro-1,3,4-oxadiazole-2-thion-5-yl)-2-methylfuran and 5-(D-*arabino*-tetrahydroxybutyl)-3-(2-substituted amino-1,3,4-oxadiazol-5-yl)-2-methylfuran 123
Polysaccharide
Reductive cleavage of permethylated polysaccharides with borane–methyl sulfide complex and butyltin trichloride 131
Porcine pancreatic alpha-amylase
Action pattern of porcine pancreatic alpha-amylase on three different series of β-maltooligosaccharide glycosides 237
Proteoglycan
New prototypical O-linked-glycopeptidomimetics corresponding to the linkage region of proteoglycans 173
Proteus penneri
Structure of the O-specific polysaccharide of *Proteus penneri* strain 25 containing *N*-(L-alanyl) and multiple *O*-acetyl groups in a tetrasaccharide repeating unit 229
Pyridine-d_5
Synthesis of 2″-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbekacin, and study on structure–chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261

Reductive cleavage
Reductive cleavage of permethylated polysaccharides with borane–methyl sulfide complex and butyltin trichloride 131
Reductive cleavage of the positional isomers of benzoylated and methylated methyl α-D-mannopyranoside 243
Diastereoselectivity in the transglycosidation of methyl 2-deoxy-3,4,6-tri-*O*-methyl-2-(*N*-methylacetamido)-D-glucopyranoside, -galactopyranoside, and -mannopyranoside with racemic 2-butanol under reductive-cleavage conditions 279
ROESY
A comparison of the geometry and of the energy results obtained by application of different molecular mechanics force fields to methyl α-lactoside and the C-analogue of lactose 15

Schizophyllan
The correlation between adhesion of schizophyllan to yeast glucan and its effect on regeneration of yeast protoplast 117
L-Serinate glycosides
Chemical modification of some methyl (3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino-α-D-*arabino*-hexopyranosid)uronates 341
Sialic acid
Syntheses of sialic acid analogues with acylamino groups at C-4 (*N*-acyl regioisomers of sialic acids) 181
Solid–liquid equilibrium
Modeling of the water–sucrose state diagram below 0 °C 139
Solvation
Exo-anomeric effects on energies and geometries of different conformations of glucose and related systems in the gas phase and aqueous solution 1
Starch
The effect of chain length and solvent interactions on the dissolution of the B-type crystalline polymorph of amylose in water 327
Starch acetate
Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251
Steady-state kinetics
Subsite structure of the β-glucosidase from *Aspergillus niger*, evaluated by steady-state kinetics with cello-oligosaccharides as substrates 51
Stenotrophomonas maltophilia
Structure of the O2 antigen of *Stenotrophomonas* (*Xanthomonas* or *Pseudomonas*) *maltophilia* 213
Stereoselective synthesis
Synthesis of α- and β-biotinylated T-antigen 153
Subsite
Subsite structure of the β-glucosidase from *Aspergillus niger*, evaluated by steady-state kinetics with cello-oligosaccharides as substrates 51
Subsite mapping
Substrate specificity of endoglucanases: what determines xyloglucanase activity? 299
Sucrose
Long-chain acetals derived from sucrose as a new class of surfactants 85
Modeling of the water–sucrose state diagram below 0 °C 139
Sugar cyclic acetals
Long-chain acetals derived from sucrose as a new class of surfactants 85
Surfactants
Long-chain acetals derived from sucrose as a new class of surfactants 85

T-antigen
Synthesis of α- and β-biotinylated T-antigen 153
Thioglucosidase inhibitor
Synthesis of 2-deoxy-2-fluoro-glucotropaeolin, a thioglucosidase inhibitor 127
Thioglycosides
Synthesis of 2-deoxy-2-fluoro-glucotropaeolin, a thioglucosidase inhibitor 127
Transacetalation
Long-chain acetals derived from sucrose as a new class of surfactants 85
Transgalactosylation
Transglycosylation in a two-phase aqueous–organic system with catalysis by a lipid-coated β-D-galactosidase 65
Transglycosidation
Diastereoselectivity in the transglycosidation of methyl 2-deoxy-3,4,6-tri-*O*-methyl-2-(*N*-methylacetamido)-D-glucopyranoside, -galactopyranoside, and -mannopyranoside with racemic 2-butanol under reductive-cleavage conditions 279
2,3:5,6:3′,4′-Tri-*O*-isopropylidenelactose dimethyl acetal
Improved preparation of 2,3:5,6:3′,4′-tri-*O*-isopropylidenelactose dimethyl acetal and its 6′-*O*-(1-methoxy-1-methylethyl) derivative 75
2,3:5,6:3′,4′-Tri-*O*-isopropylidene-6′-*O*-(1-methoxy-1-methylethyl)lactose dimethyl acetal
Improved preparation of 2,3:5,6:3′,4′-tri-*O*-isopropylidenelactose dimethyl acetal and its 6′-*O*-(1-methoxy-1-methylethyl) derivative 75

Water
Modeling of the water–sucrose state diagram below 0 °C 139
Water sorption
The effect of chain length and solvent interactions on the dissolution of the B-type crystalline polymorph of amylose in water 327

X-ray structure
X-Ray and conformational analysis of arabinan 105
Xyloglucanase activity
Substrate specificity of endoglucanases: what determines xyloglucanase activity? 299
D-Xylose
New prototypical O-linked-glycopeptidomimetics corresponding to the linkage region of proteoglycans 173

Yeast α-glucosidase
D-Glyconhydroximolactams strongly inhibit α-glycosidases 291
Yeast glucan
The correlation between adhesion of schizophyllan to yeast glucan and its effect on regeneration of yeast protoplast 117